



norament[®] stairtreads

nora[®]

All About Flooring. **All About You.**

your one-piece stair solution

norament® one-piece nosing-tread-riser stairtreads are a clean and enduring solution for your stairs. norament® stairtreads are cost-effective for both new and renovated buildings. No matter your application or facility, you will have a wide choice of floor covering options to complete your design by using norament stairtreads.

Benefits of norament stairtreads include:

- 10-year limited wear warranty
- Pre-sanded backs
- Adhered by using nora® stepfix, an odorless, solvent-free adhesive tape

norament stairtreads are offered in both round and hammered surface, and are available in a wide range of colors with matching accessories to give you an array of design options. The scattered chip look of norament® grano is also available. Your combination of norament stairtreads and accessories will give your design a cohesive look.

norament® round & hammered stairtreads — in a classic round or hammered surface and solid color range

norament® round stairtreads

16 Standard Colors

Article 465 — width ~4'

Article 466 — width ~5'

Article 467 — width ~6'




norament® hammered stairtreads

16 Standard Colors

Article 479 — width ~4'

Article 468 — width ~5'

Article 469 — width ~6'



0214
Sea Green



0319
Slate Blue



0733
Steel Blue



0890
Blue Violet



0007
Aluminum



0882
Platinum Grey



2074
Mocha



6172
Fawn



0884
Dust Grey



2685
Vanilla Cream



0749
Stone Grey



6173
Sterling



0716
Slate Grey



2079
Cape Ann




0702
Black



6192
Pale Brown





norament® grano stairtreads — a hammered surface with an exciting confetti design



norament® grano stairtreads

12 Standard Colors

Article 479 — width ~4'

Article 468 — width ~5'


Article 469 — width ~6'




4885
Hessonite




4877
Tanzanite



4878
Blue Star




4879
Dalmation Jasper




4890
Ruby



4898
Petoskey




4897
Gibeon Meteorite




4896
Ammonite




4899
Black Pearl




4881
Hematite



4882
Banded Agate



4883
Cephalopod




norament® 920 stairtreads (Class A fire-rated) — floor covering that meets special fire requirements

norament® 920 stairtreads

4 Standard Colors

Article 465 — width ~4'



0884
Dust Grey



0749
Stone Grey




1346
Peacock Teal



0862
Azure Blue

NOTE: Recommended for emergency exit stairways.



nora® stepfix

A revolutionary adhesive for norament® stairtread installations

Specifically developed for nora® stairtreads, nora® stepfix makes installing stairtreads quick and easily manageable. A reliable rolled adhesive solution, nora stepfix is environmentally-friendly and eliminates many of the issues commonly associated with solvent-based adhesives.

An odorless adhesive solution, nora stepfix is free of solvents, formaldehyde and chlorine additives, and is also non-flammable and freeze-thaw stable. By using nora stepfix, you will experience increased productivity as you can easily dry-fit the tread right on the covered adhesive. Since stairs can be walked on immediately following installation, there is no downtime and no need to close the staircase or work at night. Due to the clever design and functionality of the nosing and riser, no caulking or welding is necessary.



norament® stairtread accessories

nora® stairtread accessories are made from carefully selected raw materials, are impact and shock resistant and do not break or shrink.

nora® stair nosings — with a slide-in lip


Only nora floor coverings with a smooth or hammered surface shall be used in connection with these stair nosings.

8 Standard Colors Piece Length: ~8.2'/~2.5 m

Article 805 — T 5049
Article 802 — T 5044


T 5049 A/C
Floor covering thickness from .08"/2.0 to .11"/2.7 mm

T 5049 E/F
Floor covering thickness from .14"/3.5 to .16"/4.0 mm



T 5044 A/C
Floor covering thickness from .08"/2.0 to .11"/2.7 mm

T 5044 E/F
Floor covering thickness from .14"/3.5 to .16"/4.0 mm




0214 Sea Green	0716 Slate Grey	0884 Dust Grey	4885 Hessonite
0702 Black	0749 Stone Grey	4877 Tanzanite	4890 Ruby

nora® banister trim — for landings and ramps

8 Standard Colors Piece Length: ~8.2'/~2.5 m

Article 744 — A 5013 U




0214 Sea Green	0884 Dust Grey
0702 Black	4877 Tanzanite
0716 Slate Grey	4885 Hessonite
0749 Stone Grey	4890 Ruby

nora® metal repair stair angle

Piece Length: ~39.37"/~1.0 m

Article 989

Screws: middle of hole to middle of hole ~2.5"/~63.5 mm



nora® visually impaired strips

Textured striping for the visually impaired can be inserted into any one-piece nosing-tread-riser stairtread.

6 Standard Colors

Safety Yellow	Scarlet Red
Boardwalk Blue	Black
Nite Glow	Ocean Grey

Smooth surface rubber striping that can be inserted into any one-piece nosing-tread riser stairtread. Width of strip is ~2"/50.8 mm.

2 Standard Colors

1810 Grey
6179 Banana Daiquiri

nora systems, Inc.

94 Glenn Street
Lawrence, MA 01843
Toll-free: 800-332-NORA
Phone: (978) 689-0530
Fax: (978) 975-0110
E-mail: info-us@nora.com
www.nora.com/us