

# nora<sup>®</sup> HEALTHCARE APPLICATIONS

The Recommended Application Chart\* is based on industry best-practices and intended to be used in conjunction with local building codes/requirements and FGI guidelines. This chart is a working document and will be updated periodically. Specialized site conditions or goals can affect recommendations. Please contact your Healthcare Manager with questions or additional information.

	noramenti <sup>®</sup> tile									noraplan <sup>®</sup> tile/ sheet/ plank					
	825 round, hammered	926 round	arago, castello, kivo	grano, satura	grano ed	xp	xp trac	920	992, 992 grano	eco, environcare, senfica, stone (2.0 mm)	environcare, senfica (3.0 mm)	environcare acoustic, senfica acoustic	environcare ed, senfica ed	linee, lona (2.0 mm / 3.0 mm)	valua (2.0 mm / 3.0 mm)
Cafeteria/ Visitor Area/ Staff Area	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√
Corridors (excluding main floor)	-	√	√	√	-	√	-	-	-	√	√	-	-	√	√
Dialysis	-	-	-	√	-	√	-	-	-	√	√	-	-	-	√
Emergency Departments (excluding trauma)	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√
Entrance Areas	√	√	√	√	-	√	-	-	-	-	√	-	-	-	√
Exam Rooms	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√
Main Floor Corridors	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√
Imaging Suites/ MRI/ Radiology	√ 1	-	√	√	√ ■	√	-	-	-	√	√	-	√ ■	√	√
ICU/ PICU	-	-	-	√	-	√	-	-	-	√ 3	√	√	-	-	√
Laboratories/ Pharmacy	-	-	-	√	√ ■	√	-	-	-	√ 3	√	-	√ ■	-	-
LDR	-	-	√	√	-	√	-	-	-	√	√	-	-	-	√
NICU/ Neonatal	-	-	-	√	-	√	-	-	-	√	√	√	-	-	√
Nurses Stations	-	-	-	√	-	√	-	-	-	√	√	-	-	-	√
Office Areas	-	-	√	√	-	-	-	-	-	√	√	-	-	√	√
Patient Rooms	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√
Physical Therapy/ Rehabilitation/ Gyms	√ 1	-	-	√	-	√	-	-	√	√	√	-	-	√	√

	norament® tile									noraplan® tile/ sheet/ plank					
	825 round, hammered	926 round	arago, castello, kivo	grano, satura	grano ed	xp	xp trac	920	992, 992 grano	eco, environcare, senitica, stone (2.0 mm)	environcare, senitica (3.0 mm)	environcare acoustic, senitica acoustic	environcare ed, senitica ed	linee, lona (2.0 mm / 3.0 mm)	valua (2.0 mm / 3.0 mm)
Ramps (public)	√	-	-	-	-	√	√	-	-	-	-	-	-	-	-
Service Areas, Corridors, and Elevators	√	√	-	√	-	√	√	√	√	-	-	-	-	-	-
Stairwells	√ 2	√	√	√	-	-	-	√	-	-	-	-	-	-	-
Sterile Care Corridors/ Sterile Processing	-	-	-	√	-	√	√	-	-	-	√	-	-	-	-
Surgical Suites (ORs, PACUs, trauma)/ Cath Labs	-	-	-	√	√ ■	√	-	-	-	-	√	-	√ ■	-	-
Waiting Areas	-	-	√	√	-	√	-	-	-	√	√	-	-	√	√

Updated: March 2021

**KEY**

√ = Yes (recommended)

- = No (not recommended)

1 = Hammered surface is recommended

2 = Expect a color variation when pairing norament 825 round/ hammered tiles with norament round/ hammered stairtreads

3 = When using noraplan stone, smooth surface is recommended

■ = Use conductive adhesive and copper tape with ed products

\*not inclusive of all potential space applications