nora® HEALTHCARE APPLICATIONS

	norament® tile								noraplan [®] tile∕sheet					
The Recommended Application Chart* is based on industry best-practices and intended to be used in conjunction with local building codes/requirements and FGI guidelines. This chart is a working document and will be updated periodically. Specialized site conditions or goals can affect recommendations. Please contact your Healthcare Account Director with questions or for additional information.	825 round, hammered	arago™, castello™, kivo™, pado™	grano™, satura™	grano™ ed	хр ^{тм}	xp trac™	920	992, 992 grano TM	convia TM , dariva TM , environcare TM , sentica TM (2 mm)	dariva, environcare, sentica (3 mm)	environcare TM acoustic, sentica TM acoustic	environcare TM ed, sentica TM ed	unita TM , valua TM (2 mm & 3 mm)	
Cafeteria/Visitor Area/Staff Area	_	√	√	_	√	_	_	_	√	√	_	_	√	
Corridors (excluding main floor)	_	√	√	_	√	_	_	_	√	√	_	_	√	
Dialysis	_	√3	√	_	√	_	_	_	√	√	_	_	√	
Emergency Departments (excluding Trauma)	_	√	√	_	√	_	_	_	√	√	_	_	√ 4	
Entrance Areas	√	√	√	_	√	_	_	_	_	√	_	_	√	
Exam Rooms	_	√	√	_	√	_	_	_	√	√	_	_	√	
Main Floor Corridors	_	√	√	_	√	_	_	-	√	√	_	_	√	
Imaging Suites/MRI/Radiology	√ 1	√	√	√ ■	√	ı	_	-	√	√	ı	√ ■	√	
ICU/PICU	_	√3	√	_	√	I		_	√	√	√	I	√	
Laboratories/Pharmacy	_		√	√ ■	√	I		_	√	√	I	√ ■	_	
LDR	_	√	√	_	√	I		_	√	√	I	I	√ 4	
NICU/Neonatal	_	√3	√	_	√	I		_	√	√	√	I	√	
Nurses Stations	_	√3	√	_	√	1		_	√	√	1	I	√	
Office Areas	_	√	√	_	_	1	_	_	√	√	1	1	√	
Patient Rooms	_	√	√	_	√		_	_	√	√			√	
Physical Therapy/Rehabilitation/Gyms	√ 1	_	√	_	√	I	_	√	√	√	1	I	√	

	norament® tile								noraplan® tile/sheet					
	825 round, hammered	arago, castello, kivo, pado	grano, satura	grano ed	dx	xp trac	920	992, 992 grano	convia, dariva, environcare, sentica (2 mm)	dariva, environcare, sentica (3 mm)	environcare acoustic, sentica acoustic	environcare ed, sentica ed	unita, valua (2 mm & 3 mm)	
Ramps (public)	√ ♦	√	√	√	√ ♦	√ ♦	√	√	√	√	√	√	√	
Service Areas, Corridors, and Elevators	√	√3	√	_	√	√	√	√	_	_	_	_	_	
Stairwells	√2	√	√	_	_	_	√	_	_	_	_	_	_	
Sterile Care Corridors/Sterile Processing	_	_	√	_	√	√	_	_	_	√	_	_	_	
Surgical Suites (PACUs/Cath Labs – excluding OR/Trauma)	_	-	√	√ ■	√	_	_	_	-	√	_	√ ■	_	
Surgical Suites (OR/Trauma)	-	1	1	√ ■	√	1	1	_	1	√	1	√ ■	_	
Waiting Areas	_	√	√	_	√	_	_	_	√	√	_	_	√	

Updated: November 2023

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. All other trademarks are the property of their respective owners.

KEY:

√ = Yes (recommended)

- = No (not recommended)

- ♦ = Use for wet areas or areas in proximity to external entrance areas
- = Use conductive adhesive and copper tape with ed products

1 = Hammered surface is recommended

2 = Expect a color variation when pairing norament 825 round/hammered tiles with norament round/hammered stairtreads

3 = Two-tone surface is recommended

4 = Striated profile surface is recommended

*Not inclusive of all potential space applications

