



norament **castello**

nora[®]
by **Interface**[®]

norament **castello**™

Classic design made for eternity

Influenced by the enduring beauty and natural materials of old-world architecture, norament castello has a timeless, limestone inspired design that creates a sense of luxury. Like stone, no two tiles look the same. With its two-tone surface and marbling, it is modern yet classic with the performance and ease of maintenance you expect from nora® rubber flooring.







PRODUCT NORAMENT CASTELLO COLOR 5352 CITADEL

© nora




CARPET PRODUCT DECADES™ COLOR EBONY INSTALLED MONOLITHIC
RUBBER PRODUCT NORAMENT CASTELLO COLOR 5356 DOMUS

norament **castello**



5351 CHATEAU



5352 CITADEL



5353 CORTEGE



5354 MANOR



5355 PALAZZO



5356 DOMUS



5357 PALAIS



5358 CATHEDRAL



norament castello

Art. 3167 | ~3.5 mm

□ 1004 mm x 1004 mm (~39.53 in x 39.53 in)

Product Construction	Homogeneous Rubber Tile
Class ASTM F1344	Type IB and Grade 2
Surface Type	Two-tone
Indoor Air Quality	GREENGUARD Gold CDPH 01350 Compliant
LEED v4	Contributes to multiple IEO and MR credits

Installation Method



DIRECTIONAL

Variations in color and design, even within one production batch, define the product's aesthetic character.

QS Contact your sales representative or visit nora.com for QuickShip options

Available as *norament castello™ nTx™*. Contact your sales representative for details and lead times.

Multiple installation options, including high-moisture solutions.

View details and the full product specification at nora.com.

Product Benefits



Reduced Maintenance
Little more than water needed - no finishes, coatings or harsh chemicals necessary.



Quiet Acoustical Performance
Attenuate noise pollution.



Ergonomic Design
Add comfort underfoot, reducing foot and leg pain.



Durable Surface
Withstand extreme stress from heavy rolling loads and wheeled traffic.



Superior Slip Resistance
Help to create safer spaces.



Supports Infection Control
Disinfect thoroughly due to a dense, non-porous surface.

Sustainability Verifications



Cradle to Cradle Certified® Silver
Certification of whether a product is safe, circular and responsibly made. Applies to nora 926 and 913 compound floor coverings and stair treads.



GREENGUARD Gold
All nora floor coverings & adhesives are certified for low VOC emissions.



Environmental Product Declaration (EPD)
A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD and acoustic floor coverings.



Health Product Declaration (HPD)
A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD floor coverings.

Integrated System

nora and Interface cover every area of your building – all from a single source. Create harmonious, space-specific design with our system of soft and resilient floor coverings, including special floorings, stair treads and accessories.

Outstanding Service

From design to post-installation, we have the experts to support your project at every step and can even be a valued resource for your organization's sustainability mission.

nora.com

For additional information regarding usage in recommended applications, contact us or visit nora.com.

ORDER SAMPLES

Online at www.nora.com
Call 1.800.332.NORA
Email your sales rep or customer support specialist

BROWSE NORA.COM

- Find the right floor for your project with nora Flooring Finder
- Design your floor with the nora Room Designer
- Find technical and environmental documents

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and limited warranty information, please see nora.com.

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.

Published by
nora systems, Inc.
9 Northeastern Blvd.
Salem, NH 03079
T: 800.332.NORA
T: 603.894.1021
info-us@nora.com
www.nora.com