Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to nora systems GmbH or its affiliates or subsidiaries. Other labels used here are trademarks of their respective owners.

nora systems, Inc.

9 Northeastern Blvd. Salem, NH 03079 T: 800.332.NORA T: 603.894.1021 info-us@nora.com www.nora.com



norament pado





A distinctive blend for engaging spaces


Terrazzo flooring has infused depth of color and texture into interiors for centuries. Its small pieces of marble and colorful stones set in cement bring a vivid, artistic element that inspire a subtle feeling of splendor and elegance.

norament pado[™] offers a modern take on this masterful design for contemporary and high function interiors. norament pado™ features a mosaic-like structure with a mix of color chips embedded in a modern, high performance material - rubber. Create a relaxed and engaging atmosphere with this contemporary application of a traditional technique.




A rich variety of chip structures


norament pado tiles feature a variegated granular design inspired by ancient terrazzo with a slightly structured two-tone surface for maximum demands. Choose from an array of neutral and elegant or colorful and striking options to create a unique aesthetic.













5502 CORAL


RAL

5503 EMERALD

5504 CORONET










05 CONCRETE


3300 WINERAL

5507 SHADOW

5508 WINDSOF











5509 ROSE QUARTZ

5510 BLUFF


5511 MOON MIST

5512 SPEARMIN









5513 NIGHTSHADE

5514 LAUREL

5515 FOREST

5516 GALAXY




Unique design in every detail

norament pado is characterized by its distinctive design, featuring variegated granulate embedded in rubber flooring. Find new perspectives with this mix of three chip types:

- Marbled chips
- Single-color chips
- norament[®] grano[™] chips

Coupled with norament's world-renowned resilience and durability, norament pado is perfect for entrance halls, exhibitions and other public spaces.







Why nora® rubber flooring?



Reduced Maintenance Little more than water needed - no finishes, coatings or harsh chemicals necessary.

Ergonomic Design

Add comfort underfoot,

reducing foot and leg pain.



Quiet Acoustical Performance Attenuate noise pollution.



Durable Surface Withstand extreme stress from heavy rolling loads and wheeled traffic.



Integrated system

Outstanding service

and accessories.



Slip Resistance Help to create safer spaces.



Disinfect completely due to a dense,



Supports Infection Control

non-porous surface.





Cradle to Cradle Certified® Silver

Certification of whether a product is safe, circular and responsibly made.



Carbon Neutral Floors™ Third party verified carbon

neutral throughout its entire life cycle as part of Interface's Carbon Neutral Floors program. Learn more at interface.com/

carbonneutral



GREENGUARD Gold

Certified low VOC emissions.



ORDER SAMPLES

Online at www.nora.com Call 1.800.332.NORA Email your sales rep or customer support specialist

For additional information regarding usage in recommended applications, contact us or visit nora.com.

BROWSE NORA.COM

- Design your floor with Interior Design Studio
- Find technical and environmental documents
- Access BIM/Revit Files

Product warranty

We will be happy to supply specific test results on all nora systems, Inc. products.

nora® by Interface®

Product Warranty - Americas (Excerpt)

nora systems, Inc. (nora) warrants the following nora® brand products (collectively, the "Warranted nora Brand Flooring Products") as set forth below: norament® and noraplan® rubber flooring, norament rubber stairtread (excluding visually impaired strips), accessories (excluding visually impaired strips), nora® nTx™ 020 bond enhancer and adhesives, and the conductivity of its Electrostatic Dissipative ("ESD") flooring system (norament ed and noraplan ed flooring and adhesive).

This limited warranty and the applicable Installation Instructions and Maintenance Guidelines are subject to change at nora's discretion and without notice. Please contact nora or visit the nora.com website for the latest versions. For additional information regarding usage in recommended applications, please refer to www.nora.com or call 1-800-332-NORA. Warranty periods commence on the date of invoice of the product to the original end-use customer.