



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to nora systems GmbH or its affiliates or subsidiaries. Other labels used here are trademarks of their respective owners.

#### nora systems, Inc.

9 Northeastern Blvd. Salem, NH 03079 T: 800.332.NORA T: 603.894.1021 info-us@nora.com www.nora.com



## nora QuickShip





## Flooring you need, fast.

Available to ship within 15 business days, the nora<sup>®</sup> QuickShip program offers an array of norament<sup>®</sup> and noraplan<sup>®</sup> products in a variety of color and product combinations, including ESD flooring, stair tread, weld, and cove base options.

You need more than a floor. You need a supportive space that works to improve operations, efficiencies, health, safety and wellness. Made to the highest standards of quality, durability and service, nora® rubber flooring drastically reduces maintenance and noise, provides added comfort underfoot and delivers performance that lasts for decades.

## norament® 825 round

Rubber tile flooring with monochrome color and a classic round pastille surface for use in heavy traffic areas.



### QuickShip Product Details



0884 DUST GREY



0882 PLATINUM GREY





0749 STONE GREY

norament 825 round



Available as norament round stairtreads




**Art. 1902**501 mm x 501 mm (~19.72 in x 19.72 in)



### norament castello™

Rubber tile flooring with a lightly marbled pattern and a two-tone surface for maximum demands. Like stone, no two tiles look the same, offering wide scale variation for a natural aesthetic in large, open spaces.



#### QuickShip Product Details



5355 PALAZZO






**Art. 3167**☐ 1004 mm x 1004 mm (~39.53 in x 39.53 in)




## norament<sup>®</sup> **grano**™

Rubber tile flooring combining a rich, contrasting granular design with a hammered surface for use in extremely heavy traffic areas. Select colors available as norament® grano™ ed - electrostatically dissipative flooring for optimum ESD protection of electronic devices and equipment. Both options resist most oils and greases and are suitable for forklift truck areas.




#### QuickShip Product Details





















Available as norament grano stairtreads

Art. 1880

1004 mm x 1004 mm (~39.53 in x 39.53 in)








## norament<sup>®</sup> satura™

Rubber tile flooring with a tone-on-tone granular design and a hammered surface for use in extremely heavy traffic areas.




### QuickShip Product Details









→ Available as norament satura stairtreads


**Art. 1880**1004 mm x 1004 mm (~39.53 in x 39.53 in)





# noraplan **convia**™

Rubber tile flooring with a solid base color, dirt-concealing neutral granules and a smooth surface for use in heavy traffic areas.



### QuickShip Product Details









7360 STONE KHAKI

7355 SILVER SAND

7356 SHALE






Art. 270F
610 mm x 610 mm (~24.015 in x 24.015 in)

**₹** ~2 mm

## noraplan **environcare**™


Rubber sheet flooring with characteristic granules and a changing base color that consists of three harmoniously matched color components. Offered in a smooth surface and suitable for use in heavy traffic areas.



### QuickShip Product Details


#### 3 mm Color Range








7035 SNOW SHOEING



7036 CLAM BAKE



7051 SNOWBALL FIGHT




7052 SLEDDING




7053 POT LUCK



7061 FARMERS MARKET



7065 POOL PARTY



7073 APPLE PICKING

#### 2 mm Color Range









Art. 1463 12 m x 1.22 m (~39.37 ft x 48 in)





Art. 1462 15 m x 1.22 m (~49.21 ft x 48 in)



# noraplan<sup>®</sup> sentica™

Rubber sheet flooring in a tone-on-tone design with harmoniously matched color components and a smooth surface for use in heavy traffic areas.



### QuickShip Product Details

#### 3 mm Color Range










6505 SILK

6506 CASHMERE

6520 SNOW DAY

6524 FROST BITE








6526 MOUNTAIN AIR

2 mm Color Range



6520 SNOW DAY

Art. 1701 12 m x 1.22 m (~39.37 ft x 48 in)




Art. 1700 15 m x 1.22 m (~49.21 ft x 48 in)




## norament® stairtreads


Our one-piece stair coverings include stair nosing, riser and tread and are built to fit straight steps with an angled edge. norament stairtreads are designed to withstand extremely heavy traffic while maintaining their good looks. They are installed with nora® stepfix™ 240 double-sided dry adhesive tape-an immediate trafficking solution for an all-around fast turnover.



#### QuickShip Product Details

#### norament grano stairtreads





5303 FRANKINCENSE

5304 BLACK PEPPER

### norament grano stairtreads 2 Art. 479 - width 1285 mm (~50.59 in) - 165 mm (~6.5 in) 95 mm (~3.74 in)

#### QuickShip Product Details (continued)

#### norament round stairtreads









0884 DUST GREY


0882 PLATINUM GREY

0716 SLATE GREY




0702 BLACK


#### norament round stairtreads



#### norament satura stairtreads








5107 CALLISTO

5116 ARCTURUS

#### norament satura stairtreads



## nora® cold weld

nora<sup>®</sup> 1-component cold weld was developed for use with nora rubber floor coverings. In general, nora flooring does not require welding as it does not contain phthalate plasticizers and does not shrink after installation. Unless specified, welding of norament and noraplan flooring is optional. It is recommended for special applications such as installation on moisture-sensitive subfloors, areas with permanent intensive wet cleaning, operating rooms and other areas with specific hygienic requirements, and vertical external corners.



#### QuickShip Product Details



nora cold weld




**Art. 928** 300 ml (10 fl oz) ~50-60 LF per unit

## nora® sanitary base


Made to match the respective floor coverings, our rubber sanitary cove base is easy to clean and suitable for areas with stringent hygienic requirements. It is impact and shock resistant, does not contain phthalate plasticizers and retains its functional reliability for many years.





S 3019 D For floor covering thickness from 3 to 3.5 mm (~.12 in to .14 in)

### QuickShip Product Details



#### nora sanitary bas



**Art. 817 - S 3019 D**Piece Length: 10 m (~32.81 ft)

\*Conforms to ASTM F1861 – Standard Specification for Resilient Wall Base, Type TP: Thermoplastic Rubber, Group 1

### Service Level Promise



- Timing: Ships within 15 business days
- Maximum Order Quantities
  - · noraplan and norament flooring (neutral colors): up to 600 m<sup>2</sup> (~6,458 SF)
  - · noraplan and norament flooring (accent colors): up to 100 m<sup>2</sup> (~1,076 SF)
  - · norament stairtreads: up to 75 pieces
  - · nora cold weld: up to 15 units
  - · nora sanitary base: up to 5 rolls
- Minimum Order Quantities
  - · noraplan rolls: one roll
  - · noraplan tiles: one box
  - · norament tiles: one tile
  - · norament stairtreads: one piece
  - · nora cold weld: one unit
  - · nora sanitary base: one roll
- Product sizes standard as published; no cutting
- norament stairtreads: 4 ft standard treads only; no routing or VI
- No overages
- No holds
- No allocations to an order for more than 48 hours
- Inventory allocated upon credit approval
- Consider transit times for shipments to Canada and Latin America

## nora® QuickShip List

Product Name	Article	Color	Thickness	Size	Format	Service Level Promise ships within 15 business days
novement 905 round	1000	0700 Plank	2.0	E01 mm v E01 mm (v 10.70 in v 10.70 in)	tilo	
norament 825 round	1902	0702 Black 0716 Slate Grey	3.2 mm 3.2 mm	501 mm x 501 mm (~19.72 in x 19.72 in) 501 mm x 501 mm (~19.72 in x 19.72 in)	tile tile	up to 600 m <sup>2</sup> (~6,458 SF) up to 600 m <sup>2</sup> (~6,458 SF)
norament 825 round	1902	0749 Stone Grey	3.2 mm	501 mm x 501 mm (~19.72 in x 19.72 in)	tile	up to 600 m² (~6,458 SF)
norament 825 round	1902	0882 Platinum Grey	3.2 mm	501 mm x 501 mm (~19.72 in x 19.72 in)	tile	up to 600 m² (~6,458 SF)
norament 825 round	1902	0884 Dust Grey	3.2 mm	501 mm x 501 mm (~19.72 in x 19.72 in)	tile	up to 600 m² (~6,458 SF)
norament castello	3167	5354 Manor	3.5 mm	,	tile	up to 600 m² (~6,458 SF)
norament castello	3167	5354 Marior	3.5 mm		tile	up to 600 m² (~6,458 SF)
	1880	5301 White Fir	3.5 mm		tile	up to 600 m² (~6,458 SF)
norament grano	1880	5302 Angelica Root	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m² (~6,458 SF)
	1880	5303 Frankincense	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m² (~6,458 SF)
norament grano norament grano	1880	5304 Black Pepper	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m² (~6,458 SF)
	1880	5304 Black repper	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	
norament grano	1880	5319 Spikenard	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament grano	1	· ·	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament grano	1880	5320 Sassafras				up to 100 m <sup>2</sup> (~1,076 SF)
norament grano	1880	5329 Bergamot	3.5 mm 3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 100 m <sup>2</sup> (~1,076 SF)
norament grano	1880	5332 Geranium		1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 100 m <sup>2</sup> (~1,076 SF)
norament grano ed	1880	5301 White Fir	3.5 mm 3.5 mm	1002 mm x 1002 mm (~39.45 in x 39.45 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament grano ed	1880	5304 Black Pepper		1002 mm x 1002 mm (~39.45 in x 39.45 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament grano ed	1880	5306 Camphor	3.5 mm	1002 mm x 1002 mm (~39.45 in x 39.45 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament satura	1880	5107 Callisto	3.5 mm		tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament satura	1880	5110 Ara	3.5 mm		tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament satura	1880	5111 Castor	3.5 mm		tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament satura	1880	5116 Arcturus	3.5 mm	1004 mm x 1004 mm (~39.53 in x 39.53 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
norament grano stairtread	479	5303 Frankincense	5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament grano stairtread	479	5304 Black Pepper	5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament round stairtread	465	0702 Black	4.5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament round stairtread	465	0716 Slate Grey	4.5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament round stairtread	465	0749 Stone Grey	4.5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament round stairtread	465	0882 Platinum Grey	4.5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament round stairtread	465	0884 Dust Grey	4.5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament satura stairtread	479	5107 Callisto	5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament satura stairtread	479	5110 Ara	5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
norament satura stairtread	479	5116 Arcturus	5 mm	1285 mm (~50.59 in)	tread	up to 75 pieces
noraplan convia	270F	7352 Lava Rock	2 mm	610 mm x 610 mm (~24.015 in x 24.015 in)	tile	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan convia	270F	7355 Silver Sand	2 mm	·	tile	up to 600 m² (~6,458 SF)
noraplan convia	270F	7356 Shale	2 mm	,	tile	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan convia	270F	7360 Stone Khaki	2 mm	,	tile	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan convia	270F	7366 Patina Green	2 mm	610 mm x 610 mm (~24.015 in x 24.015 in)	tile	up to 100 m <sup>2</sup> (~1,076 SF)
noraplan convia	270F	7370 Pigeon Blue	2 mm	610 mm x 610 mm (~24.015 in x 24.015 in)	tile	up to 100 m <sup>2</sup> (~1,076 SF)
noraplan environcare	1462	7031 Baseball Game		15 m x 1.22 m (~49.21 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1462	7032 Sleigh Ride	2 mm	15 m x 1.22 m (~49.21 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7031 Baseball Game		12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7035 Snow Shoeing	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7036 Clam Bake	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463		3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7052 Sledding	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7053 Pot Luck	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan environcare	1463	7061 Farmers Market	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 100 m <sup>2</sup> (~1,076 SF)
noraplan environcare	1463	7065 Pool Party	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 100 m <sup>2</sup> (~1,076 SF)
noraplan environcare	1463	7073 Apple Picking	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 100 m <sup>2</sup> (~1,076 SF)
noraplan sentica	1700	6520 Snow Day	2 mm	15 m x 1.22 m (~49.21 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan sentica	1701	6505 Silk	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)

						Service Level Promise
Product Name	Article	Color	Thickness	Size	Format	ships within 15 business days
noraplan sentica	1701	6506 Cashmere	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m² (~6,458 SF)
noraplan sentica	1701	6520 Snow Day	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m <sup>2</sup> (~6,458 SF)
noraplan sentica	1701	6524 Frost Bite	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m² (~6,458 SF)
noraplan sentica	1701	6525 Ocean Mist	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m² (~6,458 SF)
noraplan sentica	1701	6526 Mountain Air	3 mm	12 m x 1.22 m (~39.37 ft x 48 in)	roll	up to 600 m² (~6,458 SF)
nora cold weld	0928	0702	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	0716	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	0749	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	0882	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	0884	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	1253	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	2382	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	2666	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	2781	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	2897	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	2931	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	4881	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5107	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5110	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5111	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5116	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5121	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5301	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5302		300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5303	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5306	_	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	5319		300 ml (~10 fl oz)	unit	
nora cold weld	0928	5354	_	300 ml (~10 fl oz)	unit	up to 15 units up to 15 units
	0928	5355	_			'
nora cold weld		6505	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	-	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	6506	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	6520	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	6524	-	300 ml (~10 fl oz)	unit 	up to 15 units
nora cold weld	0928	6525	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	6708	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	7052	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	7053	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	7061	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	7065	-	300 ml (~10 fl oz)	unit	up to 15 units
nora cold weld	0928	7073	-	300 ml (~10 fl oz)	unit	up to 15 units
nora sanitary base (S 3019 D)	0817	2945	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	5111	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	5303	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	5304	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	5306	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	5319	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	6505	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	6506	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	6524	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	7035	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	7036	-	10 m (~32.81 ft)	roll	up to 5 rolls
nora sanitary base (S 3019 D)	0817	7052	-	10 m (~32.81 ft)	roll	up to 5 rolls



#### Why nora® rubber flooring?



**Reduced Maintenance** Little more than water

needed - no finishes, coatings or harsh chemicals necessary.



**Quiet Acoustical** Performance

Attenuate noise pollution.



**Durable Surface** 

Withstand extreme stress from heavy rolling loads and



wheeled traffic.



Integrated system

nora and Interface cover every area of your building - all from a single source. Create harmonious, space-specific design with our system of soft and resilient floor coverings, including special floorings, stairtreads and accessories.

From design to post-installation, we have the experts to support your project at every step and can even be a valued resource for your organization's sustainability mission.



**Ergonomic Design** 

Add comfort underfoot, reducing foot and leg pain.



Superior Slip Resistance

Help to create safer spaces.



#### **Supports Infection Control**

Disinfect completely due to a dense, non-porous surface.



For additional information regarding usage in recommended applications, contact us or visit nora.com.

#### ORDER SAMPLES Online at www.nora.com Call 1.800.332.NORA Email your sales rep or customer support specialist



#### Cradle to Cradle Certified® Silver

Certification of whether a product is safe, circular and responsibly made. Applies to nora 926 and 913 recipe flooring and stair treads.



#### Carbon Neutral Floors™

Third party verified carbon neutral throughout its entire life cycle as part of Interface's Carbon Neutral Floors program. Learn more at interface.com/ carbonneutral



#### GREENGUARD Gold

Certified low VOC emissions.

#### BROWSE NORA.COM

- Design your floor with the nora Room Designer
- Find technical and environmental documents
- Access BIM/Revit Files

#### Product warranty

We will be happy to supply specific test results on all nora systems, Inc. products.

#### Product Warranty - Americas (Excerpt)

nora systems, Inc. (nora) warrants the following nora® brand products (collectively, the "Warranted nora Brand Flooring Products") as set forth below: norament® and noraplan® rubber flooring, norament rubber stairtread (excluding visually impaired strips), accessories (excluding visually impaired strips), nora\* nTx<sup>™</sup> 020 bond enhancer and adhesives, and the conductivity of its Electrostatic Dissipative ("ESD") flooring system (norament ed and noraplan ed flooring and adhesive).

This limited warranty and the applicable Installation Instructions and Maintenance Guidelines are subject to change at nora's discretion and without notice. Please contact nora or visit the nora.com website for the latest versions. For additional information regarding usage in recommended applications, please refer to www.nora.com or call 1-800-332-NORA. Warranty periods commence on the date of invoice of the product to the original end-use customer.