



PRODUCT PASSPORT SUSTAINABILITY



Product passport number: 239-1-230043.1

VERIFIED
PRODUCT

noracare seneo

nora[®]
by **Interface**[®]

nora systems GmbH
Höhner Weg 2-4
69469 Weinheim

Verified sustainability systems

System	Result	Page
BREEAM DE New Construction 2018	Can contribute to 3 points	2
BNB Version 2015	Leads to a positive contribution in 6 criteria	3
Cradle to Cradle	Gold	5
DGNB Version 2018	Leads to a positive contribution in 6 criteria	6
LEED v4.1	Can contribute to 2 to 4 points	8

The product is described on page 9.

The product passport has been prepared to the best of our knowledge and belief after examination of the documents mentioned. It refers exclusively to the specified product/product group and the sustainability systems in the specified version.

Technically responsible: M.Sc. Theresa Rüdiger

TFI Aachen GmbH
Charlottenburger Allee 41
52068 Aachen

Aachen, 22. August 2024

Dr. Jens-Christian Winkler
Authorized manager



Health and Wellbeing

Criteria	Requirement	Assessment	Verified by
Hea 02 Indoor air quality	Emission limits fulfilled	Exemplary level, Can contribute to 2 points	Greenguard Gold certificate no. IACG- 31-10-2021, valid until 01.12.2026

Materials

Criteria	Requirement	Assessment	Verified by
Mat 01 Environmental impacts from construction products	EN 15804 compliant EPD	Can contribute to 1 point	Specific EPD, declaration number EPD-NOR-20190169- IBA1-EN, valid until 06.01.2025
Mat 03 Responsible sourcing of construction products	PEFC certified natural rubber	Fulfilled	PEFC certificate no. GFA-PEFC-COC- 500545, valid until 07.02.2028

Environmental Quality

Criteria	Requirement	Assessment	Verified by
BNB_BN 1.1.1 – BNB_BN 1.1.5 Impact on the global and local environment	EN 15804 compliant EPD	Can contribute to 1 point	Specific EPD, declaration number EPD-NOR-20190169-IBA1-EN, valid until 06.01.2025
BNB_BN 1.1.6 Local environmental impact	Blue Angel certification; SVHC ≤ 0,1%; without PVC	Quality level 5	Blue Angel certificate; Manufacturers declaration, credibility checked
BNB_BN 1.1.7 Sustainable material extraction / Biodiversity	PEFC certified natural rubber	Fulfilled	PEFC certificate no. GFA-PEFC-COC-500545, valid until 07.02.2028
BNB_BN 1.2.1 Primary energy demand	EN 15804 compliant EPD	Can contribute to 1 point	Specific EPD, declaration number EPD-NOR-20190169-IBA1-EN, valid until 06.01.2025

Sociocultural Quality

Criteria	Requirement	Assessment	Verified by
BNB_BN 3.1.3 Indoor Air Quality	Low-emission resilient floor covering	Can contribute to the full score	Indoor Air comfort Gold certificate no. IACG-31-02-2021, valid until 01.12.2026

Technical Quality

Criteria	Requirement	Assessment	Verified by
BNB_BN 4.1.3 Cleaning and ease of maintenance	Marbled resilient flooring with changing granule design	Can contribute to the full score	Tender recommendation norament seneo, Status 04/2023



nora systems GmbH

has successfully achieved Cradle to Cradle Certified® Gold for the product(s) under the name:

noracare® - Gold

noracare® uno Gold (in different colors), noracare® seneo Gold (in different colors)

Please see the List of Certified Products (available on the Cradle to Cradle Certified Product Registry) for all products covered within this certificate.

Certification Number
6425

Standard Version
3.1

Lead Assessment Body
EPEA GmbH - Part of Drees & Sommer

Material Health
Assessment Body
EPEA GmbH - Part of Drees & Sommer

Effective Date
20 October 2023

Expiration Date
19 October 2025

Elwyn Grainger-Jones
Executive Director
Cradle to Cradle Products Innovation Institute

See the Cradle to Cradle Certified Product Registry at www.c2ccertified.org for additional details
Use of the certification marks is subject to the terms and conditions of the C2CPII Certification Agreement and Trademark Use Guidelines.
Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

cradle to cradle
products
innovation
institute

Environmental Quality

Criteria	Requirement	Assessment	Verified by
ENV1.1 Building life cycle assessment	EN 15804 compliant EPD	Can contribute to 1 point	Specific EPD, Declaration number EPD-NOR-20190169- IBA1-EN, valid until 06.01.2025
ENV1.2 Local environmental impact	Free of chlorinated parafines (SCCP+MCCP+LCCP <0.1%); SVHC ≤0,1%	Quality level 4	Manufacturers declaration, credibility checked
ENV1.3 Sustainable resource extraction	PEFC certified natural rubber	Fulfilled	PEFC certificate no. GFA-PEFC-COC- 500545, valid until 07.02.2028

Sociocultural and functional Quality

Criteria	Requirement	Assessment	Verified by
SOC1.2 Indoor air quality	Low-emission resilient floor covering	Can contribute to the full score	Indoor Air Comfort Gold certificate no. IACG-31-02-2021, valid until 01.12.2026

Technical Quality

Criteria	Requirement	Assessment	Verified by
TEC1.5 Ease of cleaning building components	Marbled resilient flooring with changing granule design	15 points	Tender recommendation norament seneo, Status 04/2023
TEC1.6 Ease of recovery and recycling	Cradle to Cradle certified product; Product is subject to the nora take-back system	CE Bonus 1 Reuse or material recovery	Cradle to Cradle certification no. 6425, valid until 19.10.2025; Manufacturer declaration, credibility checked
	A non destructive dismantling is usually not possible	Quality level 0	Installation instruction 04.2024



Materials and Resources

Criteria	Requirement	Assessment	Verified by
Environmental Product Declarations	EN 15804 compliant EPD	Contribution to life-cycle-assessment	Specific EPD, Declarationnumber EPD-NOR-20190169-IBA1-EN, valid until 06.01.2025
Material Ingredients	Cradle to Cradle v3.1 certified product	Can contribute to 1 point	Cradle to Cradle certificate no. 6425, valid until 19.10.2025

Indoor Environmental Quality

Criteria	Requirement	Assessment	Verified by
Low-Emitting Materials	Blue Angel Certificate	Can contribute to 1 - 3 points	Blue Angel certificate

LEED®, and its related logo, is a trademark owned by the U.S. Green Building Council® and is used with permission.



Product description

Criteria	Assessment	Verified by
Product type	Resilient floor covering according to EN 1817	Technical datasheet
Level of use	Class 34/42 Commercial very heavy/ light industrial normal according to EN 10874	Technical datasheet
Material composition / wear layer	Natural- and synthetic rubber	Specific EPD, Declarationnumber EPD-NOR-20180125-IBA1-DE, valid until 05.12.2023
Total thickness	2,0 mm	Technical datasheet