




noraplan<sup>®</sup> eco

**nora**<sup>®</sup>  
by Interface<sup>®</sup>

# noraplan<sup>®</sup> eco

Lighten up your environment with noraplan eco



© nora

The high performance rubber floor covering noraplan eco features a design with large, contrasting granules. Each of the colours coordinates with other floor coverings in the noraplan product line.

### **A bright solution for all applications**

The noraplan eco line provides a low-emission, economical floor covering solution for use in healthcare, education and a variety of other applications.

### **Advantages**

- Low emissions ("Blue Angel" certified)
- Excellent fire safety characteristics (acc. to EN 13501 and DIN 53436)
- Free of PVC, other halogenated polymers and phthalate plasticizers
- No need for welding or subsequent coatings
- High walking comfort
- Permanently resilient
- High footfall sound absorption

# The colour spectrum



6620



6621



6622



6623



6624



6625



6626



6627



6628



6629



6630



6631



6632



6633



6634




6635

**noraplan eco**


 ~2.0 mm


 16 standard colours

**Art. 1490**

 ~1.22 m x 15.0 m


**Art. 2490**

 ~610 mm x 610 mm

15  = 5.58 m<sup>2</sup> in one carton

nora<sup>®</sup> profile connection dimension: A + U

Slip resistant: R9

 Also available as noraplan eco nTx

**Additional information on nora<sup>®</sup> nTx  
can be found at [ntx.nora.com](http://ntx.nora.com).**

**Special colours are available on request.**

Cover picture: © nora

Specifications are subject to change without notice. Errors and omissions excepted.  
No liability is assumed for the correctness, completeness or accuracy of the information. The product illustrations in this document may differ from the original.  
This document does not constitute a contractual offer and serves only as non-binding information.

The nora brand and any other registered trademarks used in this document are registered to the company, the country or a company affiliated to nora systems GmbH. Any other brand names used herein are the trademarks of their respective owners.

Contact details, local offices, authorized distributors and further information can be found at [www.nora.com](http://www.nora.com).

**Published by**

nora systems GmbH  
Höhnerweg 2-4  
69469 Weinheim | Germany  
[www.nora.com](http://www.nora.com)