




noraplan<sup>®</sup> stone

**nora**<sup>®</sup>  
by Interface<sup>®</sup>

# noraplan<sup>®</sup> stone

Redefining a classic



© nora systems

noraplan stone rubber floor covering is available in two surface options and a fresh, contemporary colour palette. The reflection-breaking surface is joined by a smooth alternative. Featuring a discreet, non-directional scatter design, noraplan stone combines modern style with timeless reliability.

## Market segment applications


Ideal for projects requiring beauty and performance, noraplan stone is especially applicable to schools, hospitals, transportation environments and other public spaces.

## Attributes


- Environmentally sound (Blue Angel-certified)
- Excellent fire safety characteristics (acc. to EN 13501 and DIN 53436)
- Free of PVC, phthalate plasticizers and halogens
- No need for joint-sealing or subsequent coatings
- Highly ergonomic for walking and standing
- Permanently resilient
- High footfall sound absorption

# The colour spectrum

## noraplan stone · reflection-breaking surface



## noraplan stone · smooth surface



## noraplan stone · reflection-breaking surface

20

### Article 149

⊖ = ~1.22 m x 15 m

### Article 249

□ = ~610 mm x 610 mm

▬ ~2.0 mm

nora® profile connection dimension: A + U

## noraplan stone ed · reflection-breaking surface

4

### Article 129

⊖ = ~1.22 m x 15 m

### Article 229

□ = ~610 mm x 610 mm

▬ ~2.0 mm

nora profile connection dimension: A + U

## noraplan stone acoustic · reflection-breaking surface

8

### Article 148

⊖ = ~1.22 m x 12 m

▬ ~1.6 mm ▬ ~2.4 mm ▬ ~4.0 mm

nora profile connection dimension: F + U

Slip resistant R10

## noraplan stone · smooth surface

8

### Article 1600

⊖ = ~1.22 m x 15 m

### Article 2600

□ = ~610 mm x 610 mm

▬ ~2.0 mm

nora profile connection dimension: A + U

Slip resistant R9

⚡ electrostatic dissipative

🌊 high footfall sound absorption

🔍 Also available as noraplan stone nTx

**Additional information on nora® nTx can be found at [ntx.nora.com](http://ntx.nora.com).**

**Special colours are available on request.**

Cover picture: © nora systems GmbH

Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to the company, the country or to a company associated with nora systems GmbH. Other labels used here are trademarks of their respective owners.

Contact details, local branches or authorised retailers, as well as other information can be found at [www.nora.com](http://www.nora.com).

**Publisher**

nora systems GmbH  
Höhnerweg 2-4  
69469 Weinheim | Germany  
[www.nora.com](http://www.nora.com)