
Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to nora systems GmbH or its affiliates or subsidiaries. Other labels used here are trademarks of their respective owners.

nora systems, Inc.

9 Northeastern Blvd. Salem, NH 03079 T: 800.332.NORA T: 603.894.1021 info-us@nora.com www.nora.com







Create calm with the natural appeal of norament® arago™

From the geographic relief of mountain peaks to the exposed stonework of contemporary spaces, natural textures and colors bring harmony to their environment. norament arago captures this elemental appeal in a surface that supports your most heavily trafficked areas. Promote an atmosphere of calm in even the busiest hallways and public entryways with norament arago.

Timeless texture, lasting performance

norament arago's layered, geologic forms balance the enduring appeal of natural stone with the durability of rubber flooring. Designed to meet modern performance demands, norament arago offers unrivaled sound absorption, slip resistance, underfoot comfort and ease of maintenance for a classic, long-lasting floor.










Experience nature's elegant tones

norament arago offers a stonelike relief structure and a soothing, gray-toned palette. Explore natural rich, dark shades to soft neutrals. Each tile is unique. Marbling and fine granules blend seamlessly through each layer for a rubber flooring that's full of natural dimension and interest.

Discover the harmony of design and performance that goes beyond the surface with norament arago.







Why nora® rubber flooring?



Reduced Maintenance Little more than water needed - no finishes, coatings or harsh chemicals necessary.



Quiet Acoustical Performance Attenuate noise pollution.



Durable Surface Withstand extreme stress from heavy rolling loads and wheeled traffic.



Integrated system

Outstanding service

and accessories.



Ergonomic Design Add comfort underfoot, reducing foot and leg pain.



Superior Slip Resistance Help to create safer spaces.



Supports Infection Control Disinfect completely due to a dense, non-porous surface.





Cradle to Cradle Silver* Certification of whether a product is safe, circular and responsibly made.



Carbon Neutral Floors™ Third party verified carbon neutral throughout its entire life cycle as part of Interface's Carbon Neutral Floors program. Learn more at interface.com/ carbonneutral



GREENGUARD Gold Certified low VOC emissions.



ORDER SAMPLES Online at www.nora.com Call 1.800.332.NORA Email your sales rep or customer support specialist

For additional information regarding usage in recommended applications, contact us or visit nora.com.

BROWSE NORA.COM

- Design your floor with Interior Design Studio
- Find technical and environmental documents
- Access BIM/Revit Files

Product warranty

We will be happy to supply specific test results on all nora systems, Inc. products.

nora® by Interface®

Product Warranty - Americas (Excerpt)

nora systems, Inc. (nora) warrants the following nora® brand products (collectively, the "Warranted nora Brand Flooring Products") as set forth below: norament® and noraplan® rubber flooring, norament rubber stairtread (excluding visually impaired strips), accessories (excluding visually impaired strips), nora® nTx™ 020 bond enhancer and adhesives, and the conductivity of its Electrostatic Dissipative ("ESD") flooring system (norament ed and noraplan ed flooring and adhesive).

This limited warranty and the applicable Installation Instructions and Maintenance Guidelines are subject to change at nora's discretion and without notice. Please contact nora or visit the nora com website for the latest versions. For additional information regarding usage in recommended applications, please refer to www.nora.com or call 1-800-332-NORA. Warranty periods commence on the date of invoice of the product to the original end-use customer.