



noraplan[®] **sentica**

nora[®]
by **Interface**[®]



The feelgood floor

Advanced colour theory has revealed the distinct bond between colour and feeling. Explore the potential for emotional connection in every space with noraplan sentica. An inspired palette of 38 rich shades and accents allows you to set the perfect tone for every indoor environment.

Now mood and design achieve balance at every level, supported by high-performance flooring that offers long-lasting comfort.

Create interiors that feel good and perform beautifully with noraplan sentica.



Rich colours, top performance

noraplan sentica creates a special atmosphere in any room. Its combination of rich neutrals and accents means you're sure to set the right tone, while its discreet granular structure maintains the ambience you're aiming for, even under heavy footfall.

This attractive floor covering incorporates all the functional properties you could want. It's durable, comfortable and slip-resistant. What's more, it has the style to meet the demanding design requirements of international architects. Discover how it can bring well-being to today's interiors.





Radiological clinic, Neustadt, Germany | © Werner Huthmacher

A complete, customizable flooring solution

noraplan sentica offers you an entire system solution to realize a complete aesthetic concept and tailor technical properties to the requirements of your space.

For electrostatic dissipation in areas where electronic components are produced or sensitive electronic equipment is used there is noraplan sentica ed, while for sound insulation in e.g. healing and learning environments there is noraplan sentica acoustic.

You can also choose accessories like joint sealing compound or hot welding rod and there are even staircase and skirting options to match your design and colour scheme.

38 colours for maximum impact

noraplan sentica's 38-colour spectrum was developed with leading architects and colourists. The 32 subtle graduated tones and 6 bold accent tones can be combined horizontally, vertically and diagonally, opening up unlimited creative possibilities for unique, sophisticated room concepts.

Using a tone-on-tone design, it integrates harmoniously matched granules for a real feel-good aesthetic. And it stays looking good, too. Together with the smooth surface of the rubber flooring, this pattern makes noraplan sentica ideal for use in heavy-traffic areas.



noraplan® sentica

38

Art. 1700

~1.22 m x 15.0 m

Art. 2700

~610 mm x 610 mm

15 □ = 5.58 m² in one carton

~2.0 mm

nora® profile connection dimension: A + U

Slip resistant R9

14

Art. 1701

~1.22 m x 12.0 m

Art. 2701

~610 mm x 610 mm




10 □ = 3.72 m² in one carton

~3.0 mm

nora® profile connection dimension: D + U



These colours can also be delivered as:

-  noraplan® sentica ed electrostatically dissipative
-  noraplan® sentica acoustic footfall-sound-absorbing 20 dB
-  noraplan® sentica nTx self-adhesive


noraplan® sentica ed


 12

Art. 1702

 ~1.22 m x 15.0 m

Art. 2702

 ~610 mm x 610 mm

15  = 5.58 m² in one carton


 ~2.0 mm

nora® profile connection dimension: A + U

noraplan® sentica ed

 12

Art. 1703

 ~1.22 m x 12.0 m

 ~3.0 mm

nora® profile connection dimension: D + U

noraplan® sentica acoustic

 12

Art. 1705

 ~1.22 m x 12.0 m

 ~1.6 mm ~4.0 mm

nora® profile connection dimension: F + U

Note: Additional information on nora® nTx can be found at www.nora.com/ntx. Custom colours are available on request.

Cover picture: © nora

Specifications are subject to change without notice. Errors and omissions excepted.
No liability is assumed for the correctness, completeness or accuracy of the information. The product illustrations in this document may differ from the original.
This document does not constitute a contractual offer and serves only as non-binding information.

The nora brand and any other registered trademarks used in this document are registered to the company, the country or a company affiliated to nora systems GmbH. Any other brand names used herein are the trademarks of their respective owners.

Contact details, local offices, authorized distributors and further information can be found at www.nora.com.

Published by

nora systems GmbH
Höhnerweg 2-4
69469 Weinheim | Germany
www.nora.com